

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1301	((sort\$3 or group\$3 or classif\$5) with (record\$1 or data)) same (user near2 (location\$1 or device\$1 or cell-phone or palm\$1 or wireless\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/31 11:03
L2	45	1 and ((determin\$3 or detect\$3) with location\$1) and GPS	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/31 11:02
L3	137	((sort\$3 or group\$3 or classif\$5) with (record\$1 or data)) same ((determin\$4 or detect\$3) with (user near2 (location\$1 or device\$1 or palm\$1 or wireless\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/31 11:11
L4	0	3 and ((re-sort or re-rank\$3 or re-group\$3) with change\$1 with location\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/31 11:05
L5	0	3 and ((re-sort\$1 or re-rank\$3 or re-group\$3) with change\$1 with location\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/31 11:05
L6	26	3 and GPS	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/31 11:05
L7	144	((sort\$3 or group\$3 or classif\$5) with (record\$1 or data or entr\$3 or index\$2)) same ((determin\$4 or detect\$3) with (user near2 (location\$1 or device\$1 or palm\$1 or wireless\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/31 11:34
L8	3	((sort\$3 or group\$3 or classif\$5) with (record\$1 or data or entr\$3 or index\$2)) same ((determin\$4 or detect\$3) with (user near2 (location\$1 or device\$1 or palm\$1 or wireless\$1))) same GPS	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/31 11:30
L9	0	7 and ((re-sort\$3 or re-rank\$3 or re-group\$3) with chang\$3 with location\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/31 11:31

L10	0	7 and ((re-sort\$3 or re-rank\$3 or re-group\$3) with detect\$3 with change\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/31 11:31
L11	0	7 and ((sort\$3 or group\$3) with again with (detect\$3 near5 change\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/31 11:32
L12	11	7 and ((sort\$3 or group\$3) with again)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/31 11:32
L13	201	((sort\$3 or group\$3 or classif\$5) with (record\$1 or data or entr\$3 or index\$2)) same ((determin\$4 or detect\$3) with (user near2 (location\$1 or device\$1 or palm\$1 or wireless\$1 or signal\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/31 12:14
L14	48	13 and GPS	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/31 11:34
L15	4	14 and "701"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/31 11:35
L16	606	((sort\$3 or group\$3 or classif\$5 or organiz\$4 or order\$3) with (record\$1 or data or entr\$3 or index\$2)) same ((determin\$4 or detect\$3) with (user near2 (location\$1 or device\$1 or palm\$1 or wireless\$1 or signal\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/31 13:55
L17	107	16 and GPS	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/31 13:23
L18	11	17 and "707"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/31 17:27

L19	32	17 and "701"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/31 13:53
L20	21	17 and @ad<"20000101"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/31 12:27
L21	0	((re-sort\$3 or re-rank\$3 or re-group\$3 or re-organiz\$4 or re-order\$3) with (detect\$3 near5 (change\$2 or new\$1)) with location\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/31 12:37
L22	15	((re-sort\$3 or re-rank\$3 or re-group\$3 or re-organiz\$4 or re-order\$3) with (chang\$2 or new) with location\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/31 13:51
L23	0	16 and 22	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/31 12:38
L24	414	((resort\$3 or rerank\$3 or regroup\$3 or reorganiz\$4 or reorder\$3) with (chang\$2 or new) with location\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/31 12:54
L25	0	16 and 24	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/31 12:42
L26	6	24 and GPS	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/31 12:42
L27	477	((resort\$3 or rerank\$3 or regroup\$3 or reorganiz\$4 or reorder\$3) with (detect\$3 or chang\$2 or new) with location\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/31 13:14
L28	0	16 and 27	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/31 12:55

L29	39	16 and (resort\$3 or rerank\$3 or regroup\$3 or reorganiz\$4 or reorder\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/31 12:55
L30	0	((resort\$3 or rerank\$3 or regroup\$3 or reorganiz\$4 or reorder\$3) with (detect\$3 or chang\$2 or new) with location\$1) same (categor\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/31 13:02
L31	7	((sort\$3 or group\$3 or classif\$5 or organiz\$4 or order\$3) with (record\$1 or data or entr\$3 or index\$2)) same ((determin\$4 or detect\$3) with (user near2 (location\$1 or device\$1 or palm\$1 or wireless\$1 or signal\$1))) same categor\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/31 13:12
L32	1911	((resort\$3 or rerank\$3 or regroup\$3 or reorganiz\$4 or reorder\$3) with (record\$1 or entr\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/31 13:18
L33	5	((resort\$3 or rerank\$3 or regroup\$3 or reorganiz\$4 or reorder\$3) with (record\$1 or entr\$3) with (user near2 input\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/31 13:20
L34	1	((resort\$3 or rerank\$3 or regroup\$3 or reorganiz\$4 or reorder\$3) with (record\$1 or entr\$3) with ((user or device\$1) near2 location\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/31 13:20
L35	1	17 and ((resort\$3 or rerank\$3 or reorganiz\$3 or reorder\$3) with (user near2 (location or device\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/31 13:25
L36	818	707/7.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/31 13:26
L37	1	36 and ((resort\$3 or rerank\$3 or reorganiz\$3 or reorder\$3) with (user near2 (location or device\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/31 13:25

L38	0	36 and ((resort\$3 or rerank\$3 or reorganiz\$3 or reorder\$3) with ((chang\$2 or new) near2 location\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/31 13:26
L39	2	707/7.ccls. and (sort\$3 same (detect with (position or user near2 (location\$1 or device\$1))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/31 13:28
L40	3	707/7.ccls. and (sort\$3 same (detect with (position or input or user near2 (location\$1 or device\$1))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/31 13:28
L41	21	707/7.ccls. and (sort\$3 same (detect\$3 with (position\$1 or input\$1 or user near2 (location\$1 or device\$1))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/31 13:31
L42	49	"707"/\$.ccls. and (sort\$3 same (detect\$3 with (position\$1 or input\$1 or user near2 (location\$1 or device\$1))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/31 13:31
L43	21	"707"/\$.ccls. and (sort\$3 same (detect\$3 with (position\$1 or (user near2 (location\$1 or device\$1))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/31 13:32
L44	44	"701"/\$.ccls. and (sort\$3 same (detect\$3 with (position\$1 or (user near2 (location\$1 or device\$1))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/31 13:38
L45	19	44 and GPS	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/31 13:32
L46	109	((sort\$3 or order\$3 or rank\$3) same (detect\$3 with (position\$1 or (user near2 (location\$1 or device\$1)))) and ((resort or reorganiz\$3 or reorder\$3) with (change\$1 or new))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/31 13:40

L47	12	((sort\$3 or order\$3 or rank\$3) same (detect\$3 with (position\$1 or (user near2 (location\$1 or device\$1)))) and ((resort or reorganiz\$3 or reorder\$3) with (change\$1 or new) with (position\$1 or (user near2 (location\$1 or device\$1))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/31 13:41
L48	0	((re-sort\$3 or re-rank\$3 or re-group\$3 or re-organiz\$4 or re-order\$3) with (chang\$2 or new) with location\$1) and 16	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/31 13:51
L49	0	17 and "701"/\$.ccls. and 707/4.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/31 13:51
L50	1	17 and "701"/\$.ccls. and "707"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/31 13:51
L51	1	17 and "707"/7.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/31 13:52
L52	1	16 and "707"/7.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/31 13:53
L53	11	17 and "707"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/31 13:53
L54	616	((sort\$3 or group\$3 or classif\$5 or organiz\$4 or order\$3 or rank\$3) with (record\$1 or data or entr\$3 or index\$2)) same ((determin\$4 or detect\$3) with (user near2 (location\$1 or device\$1 or palm\$1 or wireless\$1 or signal\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/31 13:56
L55	5	(sort\$3 with order with (record\$1 or data or entr\$3 or index\$2)) same ((determin\$4 or detect\$3) with (user near2 (location\$1 or device\$1 or palm\$1 or wireless\$1 or signal\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/31 13:57

L56	5	(sort\$3 with (order sequence\$1) with (record\$1 or data or entr\$3 or index\$2)) same ((determin\$4 or detect\$3) with (user near2 (location\$1 or device\$1 or palm\$1 or wireless\$1 or signal\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/31 13:59
L57	6	((sort\$3 or organiz\$3) with (order sequence\$1) with (record\$1 or data or entr\$3 or index\$2)) same ((determin\$4 or detect\$3) with (user near2 (location\$1 or device\$1 or palm\$1 or wireless\$1 or signal\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/31 14:00
L58	9	((sort\$3 or organiz\$3) with (order sequence\$1 or proximity) with (record\$1 or data or entr\$3 or index\$2)) same ((determin\$4 or detect\$3) with (user near2 (location\$1 or device\$1 or palm\$1 or wireless\$1 or signal\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/31 14:00
L59	9	((sort\$3 or organiz\$3) with (order or sequence\$1 or proximity) with (record\$1 or data or entr\$3 or index\$2)) same ((determin\$4 or detect\$3) with (user near2 (location\$1 or device\$1 or palm\$1 or wireless\$1 or signal\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/31 14:01
L60	223	((sort\$3 or organiz\$3) with (order or sequence\$1 or proximity) with (record\$1 or data or entr\$3 or index\$2)) and ((determin\$4 or detect\$3) with (user near2 (location\$1 or device\$1 or palm\$1 or wireless\$1 or signal\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/31 14:02
L61	56	60 and GPS	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/31 14:02
L62	1	61 and 707/7.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/31 14:19
L63	12	61 and "707"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/31 14:04

L64	7	61 and "701"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/31 14:02
L65	0	(sort\$3 with order1) same ((user or device\$1) near2 (position\$1 or location\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/31 14:05
L66	1431	sort\$3 same ((user or device\$1) near2 (position\$1 or location\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/31 14:06
L67	360	sort\$3 same ((user or device\$1) near2 (position\$1 or location\$1)) same (determin\$4 or detect\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/31 14:06
L68	8	67 and resort\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/31 14:06
L69	106	67 and (sort\$3 with order)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/31 14:07
L70	5	67 and (sort\$3 with order) and resort\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/31 14:08
L71	6	"proximity sorter"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/31 14:08
L72	4	(5727057 6343317).pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/31 14:20
L73	1	(5727057 6343317).pn. and sort\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/31 14:22

L74	2	(5727057 6343317).pn. and (sort\$3 or order\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/31 14:40
L75	265	(resort\$3 or rerank\$3 or reorder\$3) with change\$1 with (position\$1 or device\$1 or (user near2 location\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/31 14:27
L76	1	75 and 707/7.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/31 14:26
L77	2	75 and "707"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/31 14:28
L78	0	75 and "701"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/31 14:27
L79	222	(resort\$3 or rerank\$3 or reorder\$3) with ((change\$1 or new) near5 (position\$1 or device\$1 or (user near2 location\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/31 14:29
L80	6	79 and "707"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/31 14:28
L81	15	(resort\$3 or rerank\$3 or reorder\$3) with (change\$1 or new) with (user near4 (location\$1 or position or device\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/31 14:30
L82	19	(resort\$3 or reorder\$3 or reorganiz\$3) with (chang\$2 or new) with (user near5 (location\$1 or position\$1 or device\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/31 15:06
L83	4	82 and GPS	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/31 14:42

L84	0	(resort\$3 or reorder\$3 or reorganiz\$3) with ((chang\$2 or new) near5 location\$1) same GPS	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/31 15:07
L85	1	17 and (sort\$3 near5 index\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/31 17:27
L86	2	17 and (sort\$3 near5 (index\$2 or entr\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/31 17:29
L87	6	16 and (sort\$3 near5 (index\$2 or entr\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/31 17:29